

Multicommodity Network Flows: A Survey, Part II: Solution Methods

I-Lin Wang*

Department of Industrial and Information Management,
National Cheng Kung University, Tainan, Taiwan, 701

Abstract: The multicommodity network flow (MCNF) problem is an important and challenging topic in many scheduling and routing applications. As a follow-up survey paper to the previous one that focus on the MCNF applications and formulations, this paper first introduces the conventional MCNF solution methods such as price-directive, resource-directive, and basis partitioning methods, then summarizes recent progress in applying approximation algorithms, interior-point algorithms, quadratic programming algorithms, and heuristics to solve the linear or integral multicommodity network flow problems. Finally the computational performance of different solution methods in literature is compared and directions for future research are suggested.

Keyword — Multicommodity, Network Optimization, Linear Programming, Integer Programming

1. INTRODUCTION

The multicommodity network flow (MCNF) problem seeks optimal flow assignment of different commodities to be shipped between specified origins and destinations, where flows of different commodities compete for the same arc capacities. It has very broad applications in the management of telecommunication, transportation, and logistics networks. Previous comprehensive survey papers on the solution methods and computational results for MCNF problems were written more than three decades ago by Assad (1978; 1980), Ali et al. (1980), and Kennington (1978).

As a follow-up survey paper to the applications and formulations survey paper on multicommodity network flow (MCNF) problem by Wang (2018), this paper tries to summarize MCNF solution methods that have appeared in the literature, especially those which appeared after 1980, based on their design frameworks. In particular, we use two categories to discuss these solution methods: the first category exploits conventional primal or dual frameworks in Section 2, including the *Basis partitioning methods*, *Resource-directive methods*, *Price-directive methods*, *Primal-dual methods*, as well as *Methods for integral MCNF problems* and *Heuristics for linear MCNF solutions*; the second category in Section 3 covers more methods after 1985, such as *Approximation methods*, *Interior-point methods*, *Convex programming methods*, and their parallelization. Section 4 summarizes computational performance of different solution methods in literature. Section 5 gives conclusions.

2. PRIMAL AND DUAL BASED MCNF SOLUTION METHODS

Due to the special block-angular structure of MCNF problems, many special solution methods have been suggested in the literature. *Basis partitioning methods* partition the basis in a way such that computing the inverse of the basis is faster. *Resource-directive methods* seek optimal capacity allocations for commodities. *Price-directive methods* try to find the optimal penalty prices (dual variables) for violations of the bundle constraints. *Primal-dual methods* raise the dual objective while maintaining complementary slackness conditions. The last two subsections discuss techniques towards integral MCNF problems and good linear relaxed MCNF solutions.

2.1 Basis Partitioning Methods

The underlying idea of basis partitioning methods is to partition the basis so that the special network structure can be maintained and exploited as much as possible to make the inversion of the basis more efficient. Hartman and Lasdon (1972) propose a Generalized Upper Bounding (GUB) technique which is a specialized simplex method whose only nongraphic operations involve the inversion of a working basis with dimension equal to the number of currently

*Corresponding author's e-mail: ilinwang@mail.ncku.edu.tw

saturated arcs. Other basis partitioning methods based on GUB techniques have also been suggested by McCallum (1977) and Maier (1972).

Grigoriadis and White (1972a; 1972b) observe that, in practice, the number of active bundle constraints in the optimal solution are considerably smaller than the number of capacitated arcs. Therefore they partition the constraints into two groups: current and secondary constraints. Using the dual simplex method with Rosen's partition technique (Rosen, 1964), they iteratively solve sequences of LPs that use only updated current constraints. These LPs do not need to be solved to optimality. The algorithm only requires a basis change when dual feasibility is maintained and the objective value decreases.

Kennington (1977) implements the primal partitioning methods of Saigal (1967) and Hartman and Lasdon (1972). His implementation of basis partitioning methods are computationally inferior to resource-directive subgradient methods.

EMNET, developed by McBride (1985) and based on the factorization methods (variants of basis partition methods) of Graves and McBride (1976), is designed to quickly solve LP problems with network structure and network problems with side constraints. Combined with other techniques such as resource-directive heuristics and price-directive column generation, they conclude that basis partitioning methods are computationally efficient. In particular, McBride and Mamer (1997) use a capacity allocation heuristic to produce a hot-start basis for EMNET which shortens the computational time. McBride (1998b) uses a resource-directive decomposition heuristic to control the size of the working inverse and dramatically reduce the solution time for MCNF problems with many side constraints. Mamer and McBride (2000; 2001) also apply column generation techniques of DW decomposition to solve message routing problems and find a dramatic reduction in the number of pivots needed. The combination of EMNET and column generation shows a larger reduction in computation time than direct application of EMNET. A similar specialized simplex algorithm has also been proposed by Detlefsen and Wallace (2001). Their paper addresses more details of the network interpretation of basis inversion. Independent of the number of commodities, their working basis has dimension at most equal to the number of arcs in the network, which seems to be suitable for telecommunication problems that often have a large number of commodities.

Castro and Nabona (1996) implement an MCNF code named PPRN to solve min-cost MCNF problems which have a linear or nonlinear objective function and additional linear side constraints. PPRN is based on a primal partitioning method using Murtagh and Saunders' (1978) strategy of dividing the variables into three sets: basic, nonbasic and superbasic.

Farvolden et al. (1993) partition the basis of the master problem using the arc-path form in DW decomposition. Their techniques isolate a very sparse and near-triangular working basis of much smaller dimension, and identify nine possible types of simplex pivots that can be done by additive and network operations to greatly improve the efficiency. Such techniques are later used to solve an MCNF problem with jump constraints (i.e., commodities can not be shipped along more than a fixed number of arcs) (Maurras & Vaxès, 1997) and further refined by Hadjiat et al. (2000) so that the dimension of the working basis is at most equal to the number of arcs in the network (almost half the size of the working matrix of Farvolden et al., 1993).

2.2 Resource-Directive Methods

Suppose on each arc (i, j) we have assigned capacity r_{ij}^k for each commodity k so that $\sum_{k \in K} r_{ij}^k \leq u_{ij}$ is satisfied. Then the original problem is equivalent to the following *resource allocation problem* (RAP) that has a simple constraint structure but complex objective function:

$$\begin{aligned} \min \sum_{k \in K} z^k(r^k) &= z(r) && \text{(RAP)} \\ \text{s.t.} \quad \sum_{k \in K} r_{ij}^k &\leq u_{ij} \quad \forall (i, j) \in A \\ 0 &\leq r_{ij}^k \leq u_{ij} \quad \forall (i, j) \in A, \forall k \in K \end{aligned}$$

For each commodity k , $z^k(r^k)$ can be obtained by solving the following single commodity min-cost network flow subproblem.

$$\begin{aligned} \min \sum_{(i,j) \in A} c_{ij}^k x_{ij}^k &= z^k(r^k) \\ \text{s.t.} \quad \sum_{(i,j) \in A} x_{ij}^k - \sum_{(j,i) \in A} x_{ji}^k &= b_i^k \quad \forall i \in N \\ 0 &\leq x_{ij}^k \leq r_{ij}^k \quad \forall (i, j) \in A \end{aligned}$$

It can be shown that the objective function $z(r)$ is piecewise linear on the feasible set of the capacity allocation vector r . There are several methods in the literature to solve the RAP such as *tangential approximation* (Geoffrion, 1970; Geoffrion & Graves, 1974; Kennington, 1978), *feasible directions* (Kennington, 1978), and the *subgradient method* (Geoffrion, 1970; Gratzler & Steiglitz, 1972; Grinold, 1972; Held, Wolfe, & Crowder, 1974; Kennington & Shalaby, 1977). Shetty and Muthukrishnan (1990) give a parallel projection algorithm which parallelizes the procedure of projecting new resource allocations in the resource-directive methods.

2.3 Price-Directive Methods

Price-directive methods are based on the idea that by associating the bundle constraints with "correct" penalty functions (dual prices, or Lagrangian multipliers), a hard MCNF problem can be decomposed into k easy SCNF problems.

2.3.1 Lagrangian Relaxation (LR)

Lagrangian relaxation dualizes the bundle constraints using a Lagrangian multiplier $\pi \geq 0$ so that the remaining problem can be decomposed into k smaller min-cost network flow problems. In particular,

$$\begin{aligned} \min \quad & \sum_{k \in K} c^k x^k + \sum_{a \in A} \pi_a \left(\sum_{k \in K} x_a^k - u_a \right) = L(\pi) \\ \text{s.t.} \quad & \sum_{(i,j) \in A} x_{ij}^k - \sum_{(j,i) \in A} x_{ji}^k = b_i^k \quad \forall i \in N, \forall k \in K \\ & x \geq 0 \end{aligned}$$

The Lagrangian dual problem seeks an optimal π^* for $L^* = \max_{\pi \geq 0} L(\pi)$. This is a *nondifferentiable optimization problem* (NDO) having the format $\max\{\varphi(y) : y \in Y\}$ where φ is a concave nondifferentiable function and Y is a convex nonempty subset of $R_+^{|A|}$.

Subgradient methods are common techniques for determining the Lagrangian multipliers. They are easy to implement but have slow convergence rates. They usually do not have a good stopping criterion, and in practice usually terminate when a predefined number of iterations or nonimproving steps is reached. Papers regarding subgradient methods have been listed in Section 2.2. Chapter 16 and 17 of (Ahuja, Magnanti, & Orlin, 1993) also present illustrative examples.

Bundle methods are designed to solve general NDO problems and thus are suitable for solving the Lagrangian dual problems. In particular, let $g(y')$ denote a supergradient of φ at y' , that is, $\varphi(y) \leq \varphi(y') + g(y - y')$ for all y in Y . Define the *bundle* to be a set β that contains all $\varphi(y_i)$ and $g(y_i)$ generated in previous iterations. The generic bundle method starts with an initial y' and β and searches for a tentative ascent direction d . It tentatively updates $y'' = y' + \theta d$. If the improvement $\varphi(y'') - \varphi(y')$ is large enough, the solution y' will move to y'' . Otherwise, it adds $\varphi(y'')$ and $g(y'')$ to the bundle β so that next iteration may give a better tentative ascent direction.

In general, bundle methods converge faster and are more robust than subgradient methods. Frangioni's Ph.D. dissertation (Frangioni, 1997) is a rich resource for the bundle method and its application to solving MCNF problems. Gendron et al. (1999) use the bundle method to solve a multicommodity capacitated fixed charge network design problem. Capanera and Frangioni (2003) give its parallelization together with discussion on other parallel price-directive approaches.

Both the subgradient methods and bundle methods are dual based techniques, in which usually extra effort has to be made to obtain a primal feasible solution. Next we will introduce methods that improve the primal feasible solution and compute the Lagrangian multipliers by solving a LP in each iteration.

2.3.2 Dantzig-Wolfe Decomposition (DW)

Here we illustrate more details about the DW procedures using the arc-path form. The primal path formulation is as follows:

$$\min \sum_{k \in K} \sum_{p \in P^k} PC_p^c f_p = Z_P^*(f, s) \quad (\text{P_PATH})$$

$$\text{s.t.} \quad \sum_{p \in P^k} f_p = 1 \quad \forall k \in K \quad (1)$$

$$\sum_{k \in K} \sum_{p \in P^k} (B^k \delta_a^p) f_p \leq u_a \quad \forall a \in A \quad (2)$$

$$f_p \geq 0 \quad \forall p \in P^k, \forall k \in K$$

whose dual is

$$\begin{aligned} \max \quad & \sum_{k \in K} \sigma_k + \sum_{a \in A} u_a(-\pi_a) = Z_D^*(\pi, \sigma) & \text{(D_PATH)} \\ \text{s.t.} \quad & \sum_{a \in A} B^k \delta_a^p(-\pi_a) \leq PC_p^c \quad \forall p \in P^k, \forall k \in K & (3) \\ & \pi_a \geq 0 \quad \forall a \in A \\ & \sigma_k : \text{free} \quad \forall k \in K \end{aligned}$$

where σ_k are the dual variables for the convexity constraint (1) and $-\pi_a$ are the dual variables for the bundle constraints (2).

The complementary slackness (CS) conditions are:

$$(-\pi_a) \left(\sum_{k \in K} \sum_{p \in P^k} (B^k \delta_a^p) f_p - u_a \right) = 0 \quad \forall a \in A \quad \text{(CS.1)}$$

$$\sigma_k \left(\sum_{p \in P^k} f_p - 1 \right) = 0 \quad \forall k \in K \quad \text{(CS.2)}$$

$$f_p (PC_p^{c+\pi} - \sigma_k) = 0 \quad \forall p \in P^k, \forall k \in K \quad \text{(CS.3)}$$

where $PC_p^{c+\pi} := \sum_{a \in A} B^k \delta_a^p(c_a + \pi_a)$ and c_a is the original cost of arc a . The reduced cost of path p is $PC_p^c - \sum_{a \in A} B^k \delta_a^p(-\pi_a) - \sigma_k = \sum_{a \in A} B^k \delta_a^p(c_a + \pi_a) - \sigma_k = PC_p^{c+\pi} - \sigma_k$.

Suppose a feasible but nonoptimal primal solution (f, s) is known. We construct the RMP which contains the columns associated with positive f and s , solve the RMP to optimality, and obtain its optimal dual solution $(\sigma^*, -\pi^*)$. This optimal dual solution can be used to identify profitable columns (i.e. columns with reduced cost $PC_p^{c+\pi^*} - \sigma_k^* < 0$) and add them to construct a new RMP. The procedure for generating new columns is equivalent to solving k subproblems. Each subproblem corresponds to a shortest path problem from s^k to t^k for a single commodity k . In particular, using $(c_{ij} + \pi_{ij}^*)$ as the new cost for each arc (i, j) , if the length of the shortest path p^{k*} for commodity k , $PC_{p^{k*}}^{c+\pi^*} = \sum_{(i,j) \in A} B^k \delta_{ij}^{p^{k*}} (c_{ij} + \pi_{ij}^*)$, is shorter than σ_k^* , then we add the column corresponding to path p^{k*} to the RMP. The algorithm iteratively solves the RMP and generates new columns until no more columns have negative reduced cost (which guarantees optimality). During the procedure, primal feasibility and complementary slackness are maintained.

The DW algorithm stated above can also be viewed as a procedure to identify the optimal dual variables $(\sigma^*, -\pi^*)$ by solving sequences of smaller LP problems (RMP). Compared to LR, DW spends more time in solving the RMP, but obtains better dual variables. In general, DW requires fewer iterations than LR to achieve optimality. Another advantage of DW is that it always produces primal feasible solutions which can be used as upper bounds in minimization, while its dual objective can be used as a lower bound. LR, on the other hand, usually only guarantees an optimal dual solution and may require extra effort to obtain an optimal primal solution.

Jones et al. (1993) investigate the impact of formulation on Dantzig-Wolfe decomposition for the MCNF problem. Three formulations: origin-destination specific (ODS), destination specific (DS), and product specific (PS) are compared in Table 1 where shortest path, shortest path tree, and min-cost network flow problems are the subproblems for ODS, DS, and PS respectively.

subproblem*	$ODS \prec DS \prec PS$
RMP size	$ODS > DS > PS$
RMP sparsity**	$ODS \succ DS \succ PS$
number of master iterations	$ODS < DS < PS$
number of commodities	$ODS \gg DS > PS$
convergence rate	$ODS > DS > PS$
*: $A \succ B$ means A is harder than B . **: $A \succ B$ means A is sparser than B .	

Table 1: Comparison of three DW formulations

Although the ODS form has a larger RMP and more subproblems (due to more commodities), it has a sparser RMP, easier subproblems, and better extreme points produced which contribute to faster convergence than other forms.

Unlike the conventional dual-based subgradient methods, the *volume algorithm* of Barahona and Anbil (2000) is an extension of the subgradient methods. It produces approximate primal solutions in DW procedures. The method is similar to the subgradient method and the bundle method introduced in Section 2.3.1, and has the following steps:

1. Step 0 Given a feasible dual solution $-\bar{\pi}$ to the bundle constraint (2), we solve $|K|$ subproblems. Each subproblem has the following form:

$$\begin{aligned} \min \quad & \sum_{(i,j) \in A} (c_{ij}^k + \bar{\pi}_{ij}) x_{ij}^k = \bar{Z}^k & (\text{Vol}(\ell)) \\ \text{s.t.} \quad & \sum_{(i,j) \in A} x_{ij}^k - \sum_{(j,i) \in A} x_{ji}^k = b_i^k \quad \forall i \in N \\ & x_{ij}^k \geq 0 \quad \forall (i,j) \in A \end{aligned}$$

Suppose (Vol(ℓ)) has optimal solution \bar{x}^k and optimal objective value \bar{Z}^k .

Set $t = 1$, $\bar{x} = [\bar{x}^1 \dots \bar{x}^{|K|}]^T$ and $\bar{Z} = \sum_{k=1}^{|K|} \bar{Z}^k - \sum_{(i,j) \in A} u_{ij} \bar{\pi}_{ij}$.

2. Step 1: Compute $v_{ij}^t = u_{ij} - \sum_{k \in K} \bar{x}_{ij}^k$, and $\pi_{ij}^t = \max\{\bar{\pi}_{ij} + \theta v_{ij}^t, 0\}$ for each arc (i, j) where the step length

$\theta = \frac{\bar{f} \frac{UB - \bar{Z}}{\|v^t\|^2}}$, \bar{f} is a parameter between 0 and 2, and UB is the upper bound on the objective for P_PATH which can be computed by any primal feasible solution.

For each commodity k , we solve (Vol(ℓ)) using the new π_{ij}^t instead of $\bar{\pi}_{ij}$ in the objective function, and obtain its optimal solution x^{kt} and optimal objective value Z^{kt}

Set $x^t = [x^{1t} \dots x^{|K|t}]^T$ and $Z^t = \sum_{k=1}^{|K|} Z^{kt} - \sum_{(i,j) \in A} u_{ij} \pi_{ij}^t$.

Update $\bar{x} = \eta x^t + (1 - \eta) \bar{x}$ where η is a parameter between 0 and 1.

3. Step 2: if $Z^t > \bar{Z}$ then update $\bar{\pi}_{ij} = \pi_{ij}^t$ for each arc (i, j) and $\bar{Z} = Z^t$.
Let $t = t + 1$, and go to Step 1.

The algorithm terminates when either $\|v^t\|$ becomes too small or $\left| \sum_{(i,j) \in A} u_{ij} \bar{\pi}_{ij} \right|$ is smaller than some threshold value.

Suppose $Z^t \leq \bar{Z}$ for all iterations $t_c \leq t \leq t_d$. In these iterations, the volume algorithm uses the new \bar{x}_{ij}^k but the old $\bar{\pi}_{ij}$ and \bar{Z} to compute the new subgradients v_{ij}^t . In such case, $\bar{x} = (1 - \eta)^{t_d - t_c} x^{t_c} + (1 - \eta)^{t_d - t_c - 1} \eta x^{t_c + 1} + \dots + (1 - \eta) \eta x^{t_d - t_c - 1} + \eta x^{t_d - t_c}$. That is, \bar{x} is a convex combination of $\{x^{t_c}, \dots, x^{t_d}\}$ which is an approximation to the optimal arc flow solution.

The basic idea is, given $(\bar{Z}, -\bar{\pi})$ where $-\bar{\pi}$ is a feasible dual variable to the bundle constraint and \bar{Z} is computed using $-\bar{\pi}$, the volume algorithm moves in a neighborhood of $(\bar{Z}, -\bar{\pi})$ to estimate the volumes below the faces that are active in the neighborhood; thus better primal solutions are estimated at each iteration. On the other hand, using the conventional subgradient methods, the subgradient v is usually determined by only one active face, and no primal solution can be computed.

The volume algorithm has been tested with success in solving some hard combinatorial problems such as crew scheduling problems (Barahona & Anbil, 2002), large scale facility location problems (Barahona & Chudak, 1999, 2000), and Steiner tree problems (Bahense, Barahona, & Porto, 2000). In (Bahense et al., 2000), the problem is formulated as a non-simultaneous MCNF problem. It is believed that the volume algorithm is advantageous for solving set partitioning-type problems including the MCNF problems. It will be interesting to learn how this new algorithm performs in solving general MCNF problems. To the best of our knowledge, no such work has been done yet.

2.3.3 Key Variable Decomposition

Based on a primal partitioning method of Rosen (1964), Barnhart et al. (1995) give a column generation algorithm which is especially suitable for problems with many commodities (OD pairs). In particular, they select a candidate path called a *key path*, $key(k)$, for each commodity k . After performing some column operations to eliminate $key(k)$ for

each k , they obtain the following CYCLE form:

$$\min \sum_{k \in K} \sum_{p \in P^k} CC_p^c f_p + \sum_{a \in A} M \alpha_a = Z_C^*(f, \alpha) \quad (\text{CYCLE})$$

$$s.t. \quad \sum_{p \in P^k} f_p = 1 \quad \forall k \in K \quad (4)$$

$$\sum_{k \in K} \sum_{p \in P^k} B^k (\delta_a^p - \delta_a^{key(k)}) f_p - \alpha_a \leq u_a - \sum_{k \in K} (B^k \delta_a^{key(k)}) \quad \forall a \in A \quad (5)$$

$$f_p \geq 0 \quad \forall p \in P^k, \forall k \in K$$

$$\alpha_a \geq 0 \quad \forall a \in A$$

where α_a is an artificial variable for each arc a with large cost M , and $CC_p^c = PC_p^c - PC_{key(k)}^c$ represents the cost of several disjoint cycles obtained by the symmetric difference of path p and $key(k)$. This CYCLE formulation is essentially the same as the P_PATH formulation in Dantzig-Wolfe decomposition. The artificial variables with large costs here are used to get an easy initial primal feasible solution for the algorithm.

When the number of commodities (OD pairs) is huge, both CYCLE and P_PATH will have many constraints, which makes the RMP more difficult. To overcome this computational burden, Barnhart et al. exploit Rosen's key variable concept which relaxes the nonnegativity constraints for each key path (i.e., it allows $f_{key(k)}$ to be negative). The RMP can be solved by iteratively solving these easier problems RELAX(i), each of which contains only the bundle constraints and the nonnegativity constraints for all variables except the key variables.

$$\min \sum_{k \in K} \sum_{p \in P^k} CC_p^{c,i} f_p^i + \sum_{a \in A} M \alpha_a^i = Z_{CR(i)}^*(f, \alpha) \quad (\text{RELAX}(i))$$

$$s.t. \quad \sum_{k \in K} \sum_{p \in P^k} B^k (\delta_a^p - \delta_a^{key(k,i)}) f_p^i - \alpha_a^i \leq u_a - \sum_{k \in K} (B^k \delta_a^{key(k,i)}) \quad \forall a \in A \quad (6)$$

$$f_p^i \geq 0 \quad \forall p \in P^k \setminus key(k,i), \forall k \in K; f_{key(k,i)} : \text{free} \quad \forall k \in K$$

$$\alpha_a^i \geq 0 \quad \forall a \in A$$

After solving RELAX(i), the algorithm will check the sign of key variables by calculating $f_{key(k,i)}^{i*} = 1 - \sum_{p \in P^k \setminus key(k,i)} f_p^{i*}$.

For those key variables with negative signs, the algorithm will perform a *key variable change* operation which replaces the current key variable with a new one. Among all the positive path variables, the one with the largest value is usually chosen since intuitively that path is more likely to have positive flow in the optimal solution. This algorithm maintains dual feasibility and complementary slackness while trying to achieve primal feasibility (which will be attained when all key variables become nonnegative).

Like the subproblems of DW, the subproblems of RELAX(i) are shortest path problems for each commodity k . Suppose in some iteration we solve the RMP of RELAX(i) and obtain the optimal dual solution associated with the bundle constraint (6), denoted by $-\pi^*$. A shortest path p^{k*} is generated if its reduced cost $PC_{p^{k*}}^{c+\pi^*,i} - PC_{key(k,i)}^{c+\pi^*,i} < 0$. Barnhart et al. (1996; 2000) further use a *simple cycle heuristic* to generate more good columns to shorten the overall computational time. In particular, for commodity k , the symmetric difference of shortest path p^{k*} and key path $key(k,i)$ forms several simple cycles. Intuitively, these simple cycles have better potential to contain positive flows since they contribute to both the shortest path p^{k*} and the key path $key(k,i)$. Each simple cycle corresponds to a *simple column* in the RELAX(i) formulation. Suppose p^{k*} and $key(k,i)$ form \tilde{n} simple cycles. Instead of adding only one column, they add all these \tilde{n} simple columns at once. Such heuristics do speed up the LP solution procedures.

2.3.4 Other Price-Directive Methods

The primal column generation techniques correspond to the dual cutting-plane generation schemes which increasingly refine the polyhedral approximation of the epigraph of the Lagrangian $L(\pi)$. Goffin et al. (1997) propose a specialized *analytic center cutting plane method* (ACCPM) (Atkinson & Vaidya, 1995; J. Goffin, Haurie, & Vial, 1992) to solve the nonlinear min-cost MCNF problems.

Using a piecewise continuous, smooth, convex and nonseparable *linear-quadratic penalty* (LQP) function to penalize the overflow of bundle constraints for each arc, Pinar and Zenios (1992) design a parallel decomposition algorithm which parallelizes the procedures of solving the nonlinear master problem and independent subproblems in the framework of price-directive methods.

Schultz and Meyer (1991) give a price-directive interior-point method using a barrier function (see Section 3.2). Many approximation algorithms are also based on price-directive techniques and will be discussed in Section 3.1. Section 1.3 of Grigoriadis and Khachiyan (1996b) cites previous price-directive methods that we omit in this section.

2.4 Primal-Dual Methods (PD)

The *primal-dual method* is a dual-ascent LP solution method which starts with a feasible dual solution, and then iteratively constructs a primal feasibility subproblem called the *restricted primal problem* (RPP) based on the complementary slackness (CS) conditions. It uses the optimal dual solution of RPP to improve the current dual solution if primal infeasibility still exists. The algorithm terminates when all primal infeasibility disappears.

Jewell (1958; 1966) proposes a PD algorithm to solve the min-cost MCNF problem. Given feasible dual variables, he uses the CS conditions to construct a restricted network which can be viewed as $|K|$ layers of single-commodity networks plus some connecting arcs between layers representing the bundle constraints. The RPP becomes a max MCNF problem. He uses a technique similar to the resource-directive methods which first identifies augmenting paths inside each layer until the layer is saturated, and then solves a capacity reallocation problem between layers. His approach requires enumeration of all paths and cycles, which is not efficient.

Barnhart and Sheffi (1988; 1993) present a network-based primal-dual heuristic (PDN) which solves a large-scale MCNF problem that is impractical to solve using other exact solution methods. In each primal-dual iteration of PDN, the RPP is solved by a network-based *flow adjustment algorithm* instead of using conventional LP methods. When the flow adjustment algorithm experiences insufficient progress or cycling, the simplex method will be invoked to solve the RP.

Given a feasible dual solution, PDN iteratively identifies an admissible set S^k which contains arcs with zero reduced cost in the node-arc form for each commodity k , searches for a flow assignment that satisfies the CS conditions using the flow adjustment algorithm, and improves the current dual solution if the RPP is solved with positive primal infeasibility. PDN terminates when either the RPP cannot be solved by the flow adjustment algorithm or optimality is achieved. In the first case, if the simplex method is invoked but fails due to the huge size of RPP, Barnhart (1993) uses a primal solution heuristic that generates feasible primal solutions from the known dual feasible solution.

Polak (1992) gives a Floyd-Warshall-like algorithm to determine the step length required to improve the dual solution in the PD procedures of solving MCNF problems. Recently, Wang (2003) integrates the column generation and key variable decomposition method with the primal-dual algorithms to solve MCNF problems. Although he successfully resolved several primal and dual degeneracy problems, the computational results show that primal-dual algorithms are not as efficient as the conventional DW methods.

2.5 Methods for Integral MCNF Problems

Most MCNF algorithms introduced in the literature are fractional solution methods. Adding the integrality constraints makes the MCNF problems much harder.

Much research has been done regarding the characterization of integral MCNF problems. For example, Evans et al. (1977) have given a necessary and sufficient condition for unimodularity in some classes of MCNF problems. Evans makes the transformation from some MCNF problems to their equivalent uncapacitated SCNF problems (Evans, 1976, 1978a, 1978c), and proposes a specialized simplex algorithm (Evans, 1978b) and heuristics (Evans, 1981, 1983) for certain MCNF problems. Truemper and Soun (Soun & Truemper, 1980; Truemper, 1977; Truemper & Soun, 1979) further investigate the topic and obtain additional results about unimodularity and total unimodularity for general MCNF problems. Other research about the characteristics of quarter-integral, half-integral and integral solutions of MCNF problems can be found in (Kazanov, 1994, 1997; Lomonosov, 1985; Schrijver, 1991). A comprehensive survey in the maximal integer multiflow and minimal multicut problems can be found in (Costa, Létocart, & Roupin, 2005).

Aggarwal et al. (1995) propose a resource-directive heuristic which first determines an initial feasible integral capacity allocation for each commodity on each arc, and then performs parametric analysis by varying the right-hand-side and using the corresponding dual variables to solve knapsack-type problems which determine better allocation for the next iteration. Their methods produce good integral feasible solutions but may require many LP computations for the parametric analysis, and thus may not be suitable for large problems.

The general integral MCNF algorithms are usually based on LP-based branch-and-bound schemes such as *branch-and-cut* (Bienstock, Chopra, Günlük, & Tsai, 1998; Brunetta, Conforti, & Fischetti, 2000) or *branch-and-price* (Alvelos & Valério de Carvalho, 2000; Barnhart et al., 1996, 2000). In branch-and-cut, cuts (if possible, facet-inducing ones) are dynamically generated throughout the branch-and-bound search tree to cut off fractional solutions. On the other hand, branch-and-price (Barnhart, Johnson, Nemhauser, Savelsbergh, & Vance, 1998; Vance, Barnhart, Johnson, & Nemhauser, 1994) generates variables that are used in conjunction with column generation to strengthen the LP relaxation and resolve the symmetry effect due to formulations with few variables. Barnhart et al. (1996; 2000) apply *branch-and-price-and-cut* which generates both variables and cuts during the branch-and-bound procedures to solve binary MCNF problems in which integral flow must be shipped along one path for each commodity (OD pair). Alvelos and Carvalho (2000) propose another branch-and-price algorithm to solve the general integral MCNF problems which allows integral flow to be shipped along several paths for each commodity (OD pair).

2.6 Heuristics for Feasible LP Solutions

Occasionally, there are problems that need fast and good feasible primal or dual solutions. Barnhart (1993) proposes a dual-ascent heuristic to quickly generate a good feasible dual solution based on the CS conditions (see Section 2.3.2). Suppose σ^* is the optimal dual variable for (1) and $-\pi^*$ is the optimal dual variable for the bundle constraint (2). Then, (CS.3) implies that the optimal flow should be assigned along shortest paths using $c_a + \pi_a^*$ as the new arc length for arc a , and (CS.1) implies that $\pi_a^* > 0$ when arc a is saturated and $\pi_a^* = 0$ when a is under-capacitated. Thus Barnhart's heuristic increases π_a when a shortest path demand exceeds its capacity u_a for arc a , and decreases π_a ($\pi_a > 0$) when a shortest path demand is less than u_a .

The same paper also gives a primal solution generator based on the observation from (CS.1) that in the optimal solution an arc with a positive dual price should be saturated. So, the heuristic will try to send flow along the shortest path that contains arcs with positive dual prices first, and then along the arcs with zero dual prices. In general, this primal solution generator does not guarantee a feasible primal solution, but it works well in all of their tests.

3. OTHER MCNF SOLUTION METHODS

In this Section, we summarize those MCNF solution methods with frameworks more popular after 1985, which covers *Approximation methods*, *interior-point methods*, and *convex programming methods*.

3.1 Approximation Methods

Given a desired accuracy $\epsilon > 0$, an ϵ -optimal solution is a solution within $(1 + \epsilon)$ (for minimization problems, or $(1 - \epsilon)$ for maximization problems) of the optimal one. A family of algorithms is called a *fully polynomial time approximation scheme* (FPTAS) when it computes an ϵ -optimal solution in time polynomial in the size of the problem input and ϵ^{-1} .

Shahrokhi and Matula (1990) present the first combinatorial FPTAS for a special case of the max-concurrent flow problem that has arbitrary demands and uniform capacities. The idea is to start with a flow satisfying the demands but not the bundle constraints, and then iteratively reroute flow to approach optimality. They also use an exponential function of the arc flow as the "length" of the arc to represent its congestion, so that their algorithm will iteratively reroute flow from longer paths (more congestion) to shorter paths (less congestion). Using different ways for measuring the congestion on arcs and a faster randomized method for choosing flow paths, Klein et al. (1994) further improve the theoretical running time.

Leighton et al. (1995) use the same randomized technique of (Klein et al., 1994) but a different rerouting scheme to solve a max-concurrent flow problem that has nonuniform integer capacities. Instead of only rerouting a single path of flow as in (Klein et al., 1994; Shahrokhi & Matula, 1990), they solve a min-cost flow problem which takes more time but reroutes more flows and makes greater progress at each iteration. Goldberg (1992) and Grigoriadis and Khachiyan (1994) independently use different randomized techniques to reduce the dependence of the randomized algorithmic running time of (Leighton et al., 1995) from a factor of ϵ^{-3} to a factor of ϵ^{-2} . Radzik (1995) achieves the same complexity using a deterministic approximation algorithm.

Most of the approximation algorithms mentioned above are designed for max MCNF or max-concurrent flow problems, which can be viewed as packing LPs. In particular, let \hat{P}^k denote the polytope of all feasible flows for commodity k . Then, the max MCNF problem can be viewed as packing feasible paths from the polytope $\bigcup_k \hat{P}^k$ subject to the bundle constraints. Similarly, the min-cost MCNF problem can be viewed as packing paths subject to bundle and budget constraints. It can be solved by iterations of a separation problem that determines the optimal budget using bisection search (Plotkin, Shmoys, & Tardos, 1995).

Recently, Grigoriadis and Khachiyan (1994; 1995a), Plotkin et al. (1995), Garg and Könemann (1998), Könemann (1998) and Young (1995; 2001) have investigated approximation methods for solving packing and covering problems, especially on applications in the MCNF fields. These algorithms are based on Lagrangian relaxation and can be viewed as randomized potential reduction methods (M. Grigoriadis & Khachiyan, 1994, 1995a). For example, given a current flow f_1 , (Plotkin et al., 1995) computes an optimal flow f_1^* (or (M. Grigoriadis & Khachiyan, 1994) computes an approximately optimal flow) that uses a "penalty" potential function as the arc length to represent the violation of bundle constraints, and updates the flow $f_2 = (1 - \sigma)f_1 + \sigma f_1^*$ using some predefined constant σ so that the total "potential" in the next iteration will be reduced. The length for each arc is usually an exponential function (M. Grigoriadis & Khachiyan, 1994, 1995a; Plotkin et al., 1995; Young, 1995) or a logarithmic function (M. Grigoriadis & Khachiyan, 1996a) measuring the congestion (i.e., violation of bundle constraints). While (M. Grigoriadis & Khachiyan, 1994; Plotkin et al., 1995) improve the potential by a fixed amount and reroute flows at each iteration, (Young, 1995) gives an "oblivious" rounding algorithm which builds the flow from scratch without any flow rerouting operations. The running time of (Plotkin et al., 1995) and (Young, 1995) depend on the the maximum possible "overflow" of the bundle constraints for points in the polytope $\bigcup_k \hat{P}^k$, denoted as the *width* of the problem.

Karger and Plotkin (1995) combine the approximate packing techniques of (Plotkin et al., 1995) and the flow rerouting order of (Radzik, 1995) to give a better deterministic approximation algorithm to solve min-cost MCNF problems. They develop new techniques for solving the "packing with budget" problems. Such techniques can be used to solve problems with multiple cost measures on the arc flows. Its direct implementation is slow, but a fast practical implementation is proposed by Oldham et al. (Goldberg, Oldham, Plotkin, & Stein, 1998; Oldham, 1999) using techniques from (M. Grigoriadis & Khachiyan, 1996a; Karger & Plotkin, 1995; Plotkin et al., 1995) to fine-tune many algorithmic parameters.

Garg and Könemann (1998) and Könemann (1998) propose a simple combinatorial approximation algorithm similar to Young's (1995), which has the most improvement at each iteration using shortest path computations. Fleischer (2000) improves the algorithms of (Garg & Könemann, 1998) and gives approximation algorithms that have the best running time for solving the max MCNF, max-concurrent flow and min-cost MCNF problems. Karakostas (2002) further modifies the algorithms of (Garg & Könemann, 1998) and (Fleischer, 2000) by virtually eliminating the dependence of the max-concurrent flow on k , and matches the running time of (Fleischer, 2000) for solving the max MCNF problem. While most of these algorithms deal with pure packing or pure covering problems, Young (2001) adapts the techniques of (Fleischer, 2000; Garg & Könemann, 1998; Könemann, 1998; Luby & Nisan, 1993) to solve mixed packing and covering problems in time independent of the width of the problem.

Grigoriadis and Khachiyan (1995a) use a 2-phase exponential-function reduction method to solve general block-angular optimization problems. Both phases are resource-sharing problems. The first phase is to obtain a feasible solution interior to the polytope $\bigcup_k \hat{P}^k$. The second phase uses a modified exponential potential function to optimize on both bundle and flow conservation constraints.

Awerbuch and Leighton (1993; 1994) give deterministic approximation algorithms which use local-control techniques similar to the preflow-push algorithm of Goldberg and Tarjan (1988; 1990). Unlike previous approximation algorithms that usually relax the bundle constraints and then determine shortest paths or augmenting paths to push flow towards sinks, their algorithms relax the flow conservation constraints and use an "edge-balancing" technique which tries to send a commodity across an arc (u, v) if node u has more congestion than node v . Based on these edge-balancing methods (Awerbuch & Leighton, 1993, 1994) (denoted as *first-order algorithms*), Muthukrishnan and Suel (1998) propose a *second-order distributed flow algorithm* which decides the amount of flow to be sent along an arc by a combination of the flow sent on the same arc in previous iteration and the flow determined using the first-order algorithms. Their experiments show a significant improvement in running time compared to the first-order algorithms. Kamath et al. (Kamath, Palmon, & Plotkin, 1995; Palmon, 2001) generalize the algorithm of (Awerbuch & Leighton, 1994) to solve min-cost MCNF problems, but their algorithm is inferior to (Karger & Plotkin, 1995).

Schneur and Orlin (1991; 1998) present a penalty-based approximation algorithm that solves the min-cost MCNF problems as a sequence of a finite number of scaling phases. In each phase, $|K|$ SCNF problems are solved, one for each commodity. Besides the original linear flow cost $c_{ij}^k x_{ij}^k$, they assign a quadratic penalty term ρe_{ij}^2 for each arc (i, j) where $e_{ij} = \max\{\sum_{k \in K} x_{ij}^k - u_{ij}, 0\}$ represents the overflow (or excess) on arc (i, j) . Thus each SCNF problem becomes a nonlinear min-cost network flow problem which is solved by a negative cycle canceling algorithm. In particular, at each scaling phase their algorithm iteratively sends exactly δ units of flow along negative δ -cycles which are defined as a cycle that allows flow of δ units. In the end of a scaling phase, the flow x is (δ, ρ) -optimal which means there exists no negative cycle that allows flow of δ units. By using new δ (usually $\frac{\delta}{2}$) and ρ (usually $R\rho$ where $1 < R < 2$) in the next scaling phase, the algorithm can be shown to terminate in finite number of scaling phases.

Bienstock (1999) solves network design problems and other MCNF test problems (from Goldberg et al., 1998) by an approximate algorithm based on (M. Grigoriadis & Khachiyan, 1995a; Plotkin et al., 1995) with new lower bounding techniques. Instead of using specialized codes such as shortest path or min-cost network flow programs, he uses CPLEX 6.5 to solve the subproblems. In his book (Bienstock, 2002), he reviews many exponential potential function based approximation algorithms and discusses detailed issues regarding empirical speedups for algorithms based on this framework.

When applied to solve fractional packing problems or generalized packing problems of min-max form, many approximation methods in this Section can be viewed as *Frank-Wolfe* method (Frank & Wolfe, 1956). Klein and Young (1999) prove a lower bound of iterations which depends on $\Omega(\epsilon^{-2})$ for Frank-Wolfe type methods. Recently the upper bound on the number of iterations of the gradient schemes has been improved from the dependence on ϵ of $O(\epsilon^{-2})$ to $O(\epsilon^{-1})$ in (Nemirovski, 2005; Nesterov, 2005a, 2005b). These techniques have been further employed to give improved PTAS for solving fractional packing problems (see Bienstock & Iyengar, 2004) and LP relaxations of combinatorial optimization problems (see Chudak & Eleutério, 2005) such as the uncapacitated facility location problem, scheduling problem, and set covering problem. These techniques are all applicable to the MCNF problem.

The following summarizes the current fastest FPTAS :

1. max MCNF problems: (Fleischer, 2000)
2. max-concurrent flow problems: (Fleischer, 2000) (when graph is sparse, or $|K|$ is large), (Karakostas, 2002),

(Leighton et al., 1995) and (Radzik, 1995)

3. min-cost concurrent MCNF problems: (Fleischer, 2000) (when $|K| > \frac{|A|}{|N|}$), (Karakostas, 2002), (M. Grigoriadis & Khachiyan, 1996a)

3.2 Interior-Point Methods

Kapoor and Vaidya (1996) speed up Karmarkar's algorithm (Karmarkar, 1984) for solving MCNF problems. Using special computing and inversion techniques for certain matrices, Vaidya's path-following interior-point algorithm (Vaidya, 1989) achieves one of the current fastest running times for obtaining exact MCNF solutions. Murraray (1992) also gives a specialized MCNF algorithm based on the algorithm of Monteiro and Adler (1989).

Putting the flow imbalance as a quadratic term (equal to 0 if and only if flow conservation is maintained) in the objective function, Kamath and Palmon (1995; 2001) present an interior-point based FPTAS that solves a quadratic programming (QP) min-cost MCNF problem subject to only the bundle and nonnegativity constraints. With a sufficiently small ϵ , their algorithm can compute an exact solution using the rounding algorithm of Ye (1994).

While these algorithms introduced above have good theoretical time bounds, they are considered to be practically unattractive. We now introduce some practical interior-point MCNF algorithms.

Schultz and Meyer (1991) develop a decomposition method based on solving logarithmic barrier functions. Their algorithm involves three phases: relaxed phase, feasibility phase, and refine phase. After obtaining a solution of the relaxed problem (i.e., relaxing the bundle constraints), the feasibility phase tries to obtain a feasible interior point which will be refined to optimality in the refine phase. Both the feasibility and refine phases find an approximate solution of the *barrier problem* using a generalization of the Frank-Wolfe method which does a multi-dimensional search rather than a line search and is more easily parallelized. Instead of using a complex coordinator (Schultz & Meyer, 1991) to determine step lengths in the search directions, Meyer and Zakeri (1999; 1995) further improve this procedure using multiple simple coordinators that take more advantage of parallelism.

General interior-point methods for LP usually need to solve a symmetric system of linear equations. In many cases, the Cholesky factorization still creates a dense submatrix even if the best fill-in minimization heuristics are applied. To speed up the factorization by taking advantage of the MCNF structure, basis partitioning techniques are used by Choi and Goldfarb (1990) and Castro (2000b) in their primal-dual interior-point algorithms. To efficiently solve the dense linear system, Choi and Goldfarb (1990) suggests parallel and vector processing while Castro (2000b) applies a *preconditioned conjugate gradient* (PCG) method. Parallel implementation on primal-dual interior-point methods using PCG techniques can be found in Castro and Frangioni (2001) and Yamakawa et al. (1996).

A specialized *dual affine-scaling* method (DAS) for solving an undirected min-cost MCNF problem has been implemented by Chardaire and Lissier (2002a; 2002b). Starting with a feasible dual interior point, the algorithm iteratively searches for an improving direction by solving a symmetric linear system (similar to Castro, 2000b; Choi & Goldfarb, 1990) that approaches the optimal dual solution. Using the same partitioning techniques of (Castro, 2000b; Choi & Goldfarb, 1990), they solve the linear system without any special techniques. The same authors also implement a specialized analytic center cutting plane method (ACCPM) (J. Goffin et al., 1992), a cutting plane method previously introduced in Section 2.3.4 which can be viewed as an interior-point method since it computes the central point of a polytope in each iteration.

3.3 Convex Programming Methods

Besides methods that solve the linear MCNF problems, here we introduce some nonlinear convex programming techniques in the literature (De Leone, Meyer, & Kontogiorgis, 1994 in Section 3.3.2 and Kallio & Ruszczyński, 1994 in Section 3.3.3 are for LPs). Most of them are related to *augmented Lagrangian* methods which find a saddle point of a smooth min-max function obtained by augmenting the Lagrangian with quadratic terms of both primal and dual variables.

3.3.1 Proximal Point Methods

Based on their previous work (Ibaraki, Fujishima, & Ibaraki, 1992), Ibaraki and Fukushima (1994) apply a primal-dual proximal point method to solve convex MCNF problems. The method identifies an approximate saddle point of the augmented Lagrangian at each iteration and guarantees that these points converge to the unique Kuhn-Tucker point of the problem. Similar methods are also developed by Chifflet et al. (1994) and Mahey et al. (1998).

3.3.2 Alternating Direction Methods (ADI)

De Leone et al. (1994) propose three variants of *alternating direction methods* (ADI) (Kontogiorgis, 1995) which may be viewed as block Gauss-Seidel variants of augmented Lagrangian approaches that take advantage of block-angular

structure and parallelization. These methods take alternating steps in both the primal and the dual space to achieve optimality. In particular, ADI is designed to solve the following problem:

$$\begin{aligned} \min \quad & G_1(x) + G_2(z) \\ \text{s.t.} \quad & Cx + b = Dz \end{aligned} \tag{ADI}$$

For example, let x be the flow vector, z be the proximal vector that reflects the consumption of the shared capacity, and p be the associated dual variables. The *resource proximization method* (RP_ADI) uses the following settings: $G_1(x) := \sum_{k \in K} \sum_{(i,j) \in A} c_{ij}^k x_{ij}^k$; $G_2(z) := 0$ if $\sum_{k \in K} z_{ij}^k \leq u_{ij} \forall (i,j) \in A$, or $G_2(z) := \infty$, otherwise; $C := I_{|A||K|}$; $D := I_{|A||K|}$; $b := 0$ and Λ is a diagonal penalty matrix whose k^{th} diagonal entry is $\Lambda_k \in (0, \infty)$. Define the augmented Lagrangian

$$L_{\Lambda}^k = \min_{\substack{\tilde{N}x^k = b^k \\ 0 \leq x_{ij}^k \leq u_{ij}}} \sum_{(i,j) \in A} ((c_{ij}^k + p_{ij}^k)x_{ij}^k + \frac{1}{2}\Lambda_k(x_{ij}^k - z_{ij}^k)^2)$$

where \tilde{N} is the node-arc incidence matrix. Starting with a suitable dual variable $p_0 \geq 0$ and an initial capacity allocation z_0 satisfying $\sum_{k \in K} z_0^k = u$, RP_ADI iteratively computes the minimizer x^{k*} of L_{Λ}^k for each commodity k , updates

multiplier p , adjusts the capacity allocation r , and updates the penalty matrix Λ of L_{Λ}^k until the termination criterion is met. Although RP_ADI is guaranteed to achieve the optimal objective value, primal feasibility may not be satisfied.

They also propose two other methods, the *activity and resource proximization method* (ARP_ADI) and the *activity proximization method* (AP_ADI). Their computational results show that AP_ADI and RP_ADI run significantly faster than ARP_ADI, and all of them are faster than the general-purpose LP solver MINOS 5.4 (Murtagh & Saunders, 1992). A similar method is also developed by Eckstein and Fukushima (1994).

3.3.3 Methods of Games

Kallio and Ruszczyński (1994) view the solution procedure to a LP as a nonzero-sum game with two players. In particular, the primal players minimize the augmented Lagrangian function for the primal problem and the dual players maximize the augmented Lagrangian function for the dual problem. Each player optimizes his own objective by assuming the other's choice is fixed. They propose a parallel method where processors carry out under-relaxed Jacobi steps for the players. Based on the same idea of (Kallio & Ruszczyński, 1994),

Approximation algorithms for solving a game as proposed in (Freund & Schapire, 1999) and (M. Grigoriadis & Khachiyan, 1995b) can also be applied to solve MCNF problems. They are closely related with the approximation algorithms introduced in Section 3.1.

Ouorou (2000) solves *monotropic programming problems* (Rockafellar, 1984) which minimize a separable convex objective function subject to linear constraints. He solves convex min-cost MCNF problems using a block-wise Gauss-Seidel method to find an equilibrium of the game in a primal-dual algorithmic framework. These techniques are similar to the alternating direction method discussed previously.

3.3.4 Other Convex and Nonlinear Programming Methods

Nagamochi et al. (1990) use the relaxation method of Bertsekas (1985; 1987), a specialized PD algorithm, to solve strictly convex MCNF problems.

Lin and Lin (1997) solve quadratic MCNF problems by a projected Jacobi method. They introduce a new *dual projected pseudo-quasi-Newton* (DPPQN) method to solve the quadratic subproblems induced in the projected Jacobi method. The DPPQN method computes a fixed-dimension sparse approximate Hessian matrix, which overcomes the difficult computation of an indefinite-dimension dense Hessian matrix that arises in the conventional Lagrangian Newton method.

Ouorou and Mahey (2000) use a minimum mean cycle cancelling based algorithm (Goldberg & Tarjan, 1989) to solve an MCNF problem with a nonlinear separable convex cost function. More techniques about solving nonlinear convex MCNF problems are introduced in Chapter 8 and Chapter 9 of (Bertsekas, 1998). For survey on algorithms for nonlinear convex MCNF problems, see Ouorou et al. (2000).

4. SUMMARY ON PREVIOUS COMPUTATIONAL EXPERIMENTS

Previous surveys (Ali et al., 1980; Assad, 1978, 1980; Kennington, 1978) suggest that the price-directive methods (DW) outperform the resource-directive methods, which are in turn superior to the basis-partitioning methods. A brief summary of the computational experiments done before 1990 can also be found in Farvolden et al. (1993).

There are some popular MCNF test problems used by many researches for evaluating efficiency of their algorithms. For example, the Mnetgen family (mnet) created by Ali and Kennington (1977), and the PDS family (PDS)

from Carolan et al. (1990) which models a patient distribution system where decisions have to be made in evacuating patients away from a place of military conflict, are commonly tested. The size of the PDS family depends on the planning horizon since it is a time-space network.

Chardaire and Lissier (2002b) implement four algorithms to solve undirected min-cost MCNF problems up to size $|N| = 119$, $|A| = 302$, $|K| = 7021$: (1) a simplex method using the basis-partitioning technique from (Kennington & Helgason, 1980), (2) a dual affine scaling method (DAS), (3) DW whose master problem is solved by a basis partitioning technique, and (4) an analytic center cutting plane method (ACCPM) (J. Goffin et al., 1992). They compare these four methods with CPLEX 4.0. The results show that DW is the most efficient implementation, DAS is the slowest in general, the basis partitioning method performs better than the DAS for smaller cases, and CPLEX 4.0 performs well for smaller cases but worse for larger cases. Similar undirected message routing problems up to $|N| = 100$, $|A| = 699$, $|K| = 1244$ are solved by McBride and Mamer (2001) who compare (1) EMNET (see Section 2.1), (2) EMNET using shortest path pricing, and (3) CPLEX 6.5. Their results show that EMNET using shortest path pricing improves the generic EMNET, which in turn is much faster than CPLEX 6.5. A similar conclusion is also drawn in another paper by the same authors (Mamer & McBride, 2000) which tests more MCNF problems such as PDS, mnet, dmX and JLF (which are all available at the website maintained by Frangioni¹).

McBride (1998a) summarizes the computational performance of several MCNF algorithms (on different platforms), including (1) decomposition methods (Pinar & Zenios, 1992; Zenios, Pinar, & Dembo, 1995), (Schultz & Meyer, 1991), (2) interior point methods (Carolan et al., 1990), (Lustig & Rothberg, 1996), (Marsten, Subramanian, Saltzman, Lustig, & Shanno, 1990), (3) a primal simplex method with advanced basis (McBride & Mamer, 1997), and (4) a simplex method using basis-partitioning technique (EMNET) (McBride, 1985), on specific test problem sets such as KEN and PDS from the NETLIB library. He concludes that the basis-partitioning approach is efficient, especially in postprocessing which is often required in practice. However, the interior-point approaches can take more advantage of multiple processors operating in parallel.

Castro (2000b) shows that his specialized interior-point method, IPM, is faster than CPLEX 4.0, which in turn is much faster than PPRN (Castro & Nabona, 1996). Castro (2000a) discusses the empirical running times of some recent algorithms that have appeared in the last decade, compared with CPLEX 6.5. In basis-partition codes, EMNET (McBride, 1998b) performs similarly to CPLEX 6.5 but better than PPRN (Castro & Nabona, 1996) for PDS test problems. In price-directive codes, bundle methods (Frangioni & Gallo, 1999) perform similarly to CPLEX 6.5.

Solving the QP test problems from the mnet and PDS families with size up to 500,000 variables and 180,000 constraints, Castro (2001) concludes that IPM (Castro, 2000b, 2001) performs up to 10 times faster than the CPLEX 6.5 barrier solver. Both IPM and the CPLEX 6.5 barrier solver are much faster than PPRN (Castro & Nabona, 1996), which in turn is much faster than ACCPM (J.-L. Goffin et al., 1997).

Despite their excellent theoretical running times, only few approximation algorithms have been implemented for practical use. (M. Grigoriadis & Khachiyan, 1995a), (Goldberg et al., 1998; Oldham, 1999), and (Bienstock, 1999) have reported their computational experiments. MCMCF, the approximation code in (Goldberg et al., 1998; Oldham, 1999), is shown to be a few magnitudes faster than CPLEX 4.0.9 (dual simplex method) and PPRN (Castro & Nabona, 1996) on problems generated by RMFGEN, MULTIGRID, and TRIPARTITE generators (see Goldberg et al., 1998; Oldham, 1999). These three problem generators are also used in (Bienstock, 1999). The book of Bienstock (2002) includes computational experiments which show the superiority of using the exponential penalty methodology to approximately solve the problems with block-angular structure such as MCNF problems. He also observes that the CPLEX's barrier code is far superior to the dual simplex method in his computational testing. Albrecht (2000; 2001) has modified and implemented the approximation algorithms of (Garg & Könemann, 1998) and (Fleischer, 2000) to solve the linear programming relaxation of the VLSI global routing problem. His approach is applicable in practice even for large chips, and his computational results show for the first time that these approximation algorithms give good results in practice.

Schneur and Orlin (1998) compare their scaling algorithm (SAM.M) with other codes DW, PDN, and PPLP (DW and PDN are from (Barnhart, 1988), PPLP is from (Farvolden et al., 1993). Their experiments show that PPLP and SAM.M are faster than DW and PDN on problems up to $|N| = 85$, $|A| = 204$, $|K| = 18$.

Farvolden et al. (1993) compare their basis-partitioning method, PPLP, with MINOS and OB1 (R. Lustig I.J. and Marsten & Shanno, 1991) on large-scale LTL networks and show that PPLP outperforms the others by a large factor.

In (Barnhart, 1988; Barnhart & Sheffi, 1993), Barnhart compares her algorithm PDN to conventional DW decomposition and two primal-dual (PD) algorithms. It is shown that PDN is more advantageous for large-scale MCNF problems. In particular, her heuristics can produce good solutions for some freight assignment problems which the other LP-based methods (DW, PD) can not solve. Barnhart (1993) also develops heuristics which show promising performance in obtaining a fast and good solution compared to OB1 and OSL (Druckerman, Silverman, & Varopoulos, 1991).

¹<http://www.di.unipi.it/di/groups/optimize/Data/MMCF.html>

Barnhart et al. (1995) experiment with their PATH and CYCLE-RELAX algorithms (they use the formulation (P_PATH) and (RELAX(i)) as introduced in Section 2.3.3) on message routing problems which contain many OD commodities. The CYCLE-RELAX algorithm is much faster than OB1 and OSL on solving problems up to $|N| = 324$, $|A| = 1019$, $|K| = 150$. When compared with their PATH algorithm, which is the conventional DW decomposition using column generation, the CYCLE-RELAX algorithm also displays faster running times on problems up to $|N| = 500$, $|A| = 1300$, $|K| = 5850$. In their later papers (Barnhart et al., 1996, 2000), they solve binary MCNF problems up to $|N| = 50$, $|A| = 130$, $|K| = 585$. Their simple cycle heuristic that generates all the simple cycles from the symmetric difference between the shortest path and key path has shown to be very effective. In particular, the time to solve the LPs and the number of iterations of generating columns have been reduced by an average of 40% and 45% respectively, but the total number of columns generated is not increased. This means the simple cycle heuristic helps to generate good columns in fewer iterations, which shortens the overall computational time. However, according to (Wang, 2003), when integrating the cycle heuristic with the primal-dual algorithm to solve the MCNF problems, the running time does improve but is still slower than the one using primal simplex method with DW decomposition technique.

The recent computational results show the trend of using basis partitioning or price-directed methods to solve the MCNF problems.

5. CONCLUSIONS

To help the audience to grasp more recent developments in MCNF solution methods, we survey over 200 references and summarize most of the MCNF solution methods in the literature. Besides the primal-dual methods, basis-partitioning methods, resource-directive methods, and price-directive methods that appeared in previous survey literature, we introduce interior-point methods, convex-programming methods, and recent progress in polynomial-time approximation methods for solving the linear MCNF problem. Techniques for solving the integral MCNF problem and heuristics to get a fast feasible MCNF solution are also covered in this paper. Finally we summarize the computational performance for several MCNF algorithms.

Recent research also suggests that some basis-partitioning (see McBride & Mamer, 2001) and price-directive (see Barnhart et al., 1995; Frangioni & Gallo, 1999) methods are efficient for solving linear MCNF problems, whereas interior-point methods (see Castro, 2000b, 2001) has success in solving quadratic MCNF problems. The progress in both the theoretical and computational sides of approximation algorithms during the last two decades has been exciting. We suggest the book of Bienstock (2002) for more details.

ACKNOWLEDGEMENTS

I-Lin Wang was partially supported by the Ministry of Science and Technology of Taiwan under Grant NSC 102-2221-E-006-141-MY3 and MOST 105-2221-E-006-182-MY3.

REFERENCES

- Aggarwal, A., Oblak, M., & Vemuganti, R. (1995, Dec). A heuristic solution procedure for multicommodity integer flows. *Computers & Operations Research*, 22(10), 1075–1087.
- Ahuja, R., Magnanti, T., & Orlin, J. (1993). *Network flows: theory, algorithms and applications*. Englewood Cliffs, NJ: Prentice Hall.
- Albrecht, C. (2000). Provably good global routing by a new approximation algorithm for multicommodity flow. In *Isdp '00: Proceedings of the 2000 international symposium on physical design* (pp. 19–25). New York, NY, USA: ACM Press.
- Albrecht, C. (2001, May). Global routing by new approximation algorithms for multicommodity flow. *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems*, 20(5), 622–632.
- Ali, A., Helgason, R., Kennington, J., & Lall, H. (1980). Computational comparison among three multicommodity network flow algorithms. *Operations Research*, 28(4), 995–1000.
- Ali, A., & Kennington, J. (1977). *Mnetgen program documentation* (Technical Report 77003). Dallas: Department of IEOR, Southern Methodist University.
- Alvelos, F., & Valério de Carvalho, J. (2000). *Solving the multicommodity flow problem by branch-and-price* (Tech. Rep.). Braga, Portugal: Departamento de Produção e Sistemas, Universidade do Minho.
- Assad, A. (1978). Multicommodity network flows—a survey. *Networks*, 8(1), 37–91.
- Assad, A. (1980, October). Solving linear multicommodity flow problems. In *Proceedings of the IEEE international conference on circuits and computers iccc 80* (pp. 157–161).
- Atkinson, D., & Vaidya, P. (1995). A cutting plane algorithm for convex programming that uses analytic centers. *Mathematical Programming*, 69(1, Ser.B), 1–43.

- Awerbuch, B., & Leighton, T. (1993). A simple local-control approximation algorithm for multicommodity flow. In *Proceedings of the 34th annual IEEE symposium on foundations of computer science* (pp. 459–468). IEEE.
- Awerbuch, B., & Leighton, T. (1994). Improved approximations for the multi-commodity flow problem and local competitive routing in networks. In *Proceedings of the twenty-sixth annual ACM symposium on theory of computing* (pp. 487–496). New York, NY, USA: ACM Press.
- Bahiense, L., Barahona, F., & Porto, O. (2000). *Solving steiner tree problems in graphs with lagrangian relaxation* (RC 21846). Yorktown Heights, NY: Research Division, IBM T.J. Watson Research Center.
- Barahona, F., & Anbil, R. (2000). The volume algorithm: producing primal solutions with a subgradient method. *Mathematical Programming*, 87(3, Ser. A), 385–399.
- Barahona, F., & Anbil, R. (2002, Apr). On some difficult linear programs coming from set partitioning. *Discrete Applied Mathematics*, 118(1-2), 3–11.
- Barahona, F., & Chudak, F. (1999). *Near-optimal solutions to large scale facility location problems* (RC 21606). Yorktown Heights, New York: IBM Research Division, T.J. Watson Research Center.
- Barahona, F., & Chudak, F. (2000). Solving large scale uncapacitated facility location problems. In P. Pardalos (Ed.), *Approximation and complexity in numerical optimization: continuous and discrete problems (v.42)* (pp. 48–62). Dordrecht: Kluwer Academic Publishers.
- Barnhart, C. (1988). *A network-based primal-dual solution methodology for the multicommodity network flow problem* (Unpublished doctoral dissertation). Transportation Systems Division, M.I.T., Cambridge, MA
- Barnhart, C. (1993, April). Dual-ascent methods for large-scale multicommodity flow problems. *Naval Research Logistics*, 40(3), 305–324.
- Barnhart, C., Hane, C., & Vance, P. (1996, Jun). Integer multicommodity flow problems. In W. Cunningham, S. McCormick, & M. Queyranne (Eds.), *Integer programming and combinatorial optimization, proceedings of the 5th international conference (ipco v) held in vancouver, bc, canada* (Vol. 1084, pp. 58–71). Berlin Heidelberg: Springer.
- Barnhart, C., Hane, C., & Vance, P. (2000). Using branch-and-price-and-cut to solve origin-destination integer multicommodity flow problems. *Operations Research*, 48(2), 318–326.
- Barnhart, C., Johnson, E., Hane, C., & Sigismondi, G. (1995). An alternative formulation and solution strategy for multicommodity network flow problems. *Telecommunication Systems*, 3, 239–258.
- Barnhart, C., Johnson, E., Nemhauser, G., Savelsbergh, M., & Vance, P. (1998). Branch-and-price: column generation for solving huge integer programs. *Operations Research*, 46(3), 316–329.
- Barnhart, C., & Sheffi, Y. (1993, May). A network-based primal-dual heuristic for the solution of multicommodity network flow problems. *Transportation Science*, 27(2), 102–117.
- Bertsekas, D. (1985). A unified framework for primal-dual methods in minimum cost network flow problems. *Mathematical Programming*, 32(2), 125–145.
- Bertsekas, D. (1998). *Network optimization: continuous and discrete models*. P.O. Box 391, Belmont, MA 02178-9998: Athena Scientific.
- Bertsekas, D., Hossein, P., & Tseng, P. (1987). Relaxation methods for network flow problems with convex arc costs. *SIAM Journal on Control and Optimization*, 25(5), 1219–1243.
- Bienstock, D. (1999). *Approximately solving large-scale linear programs. i: Strengthening lower bounds and accelerating convergence* (Tech. Rep. No. CORC Report 1999-1). New York, NY: Department of IEOR, Columbia University.
- Bienstock, D. (2002). *Potential function methods for approximately solving linear programming problems: theory and practice*. New York: Kluwer Academic Publishers.
- Bienstock, D., Chopra, S., Günlük, O., & Tsai, C.-Y. (1998). Minimum cost capacity installation for multicommodity network flows. *Mathematical Programming*, 81(2, Ser. B), 177–199.
- Bienstock, D., & Iyengar, G. (2004). Solving fractional packing problems in $o^*(\frac{1}{\epsilon})$ iterations. In *Stoc '04: Proceedings of the thirty-sixth annual ACM symposium on theory of computing* (pp. 146–155). New York, NY, USA: ACM Press.
- Brunetta, L., Conforti, M., & Fischetti, M. (2000, Apr). A polyhedral approach to an integer multicommodity flow problem. *Discrete Applied Mathematics*, 101(1-3), 13–36.
- Cappanera, P., & Frangioni, A. (2003). Symmetric and asymmetric parallelization of a cost-decomposition algorithm for multicommodity flow problems. *INFORMS Journal on Computing*, 15(4), 369–384.
- Carolan, W., Hill, J., Kennington, J., Niemi, S., & Wichmann, S. (1990). An empirical evaluation of the korbx algorithms for military airlift applications. *Operations Research*, 38(2), 240–248.
- Castro, J. (2000a, Aug). *Solving difficult multicommodity problems through a specialized interior-point algorithm* (Tech. Rep. No. DR20000-14). Pau Gargallo 5, 08028 Barcelona, Spain: Statistics and Operations Research Dept., Universitat Politècnica de Catalunya.
- Castro, J. (2000b). A specialized interior-point algorithm for multicommodity network flows. *SIAM Journal on Optimization*, 10(3), 852–877.
- Castro, J. (2001, Aug). *Solving quadratic multicommodity problems through an interior-point algorithm* (Tech. Rep. No. DR20001-14). Pau Gargallo 5, 08028 Barcelona, Spain: Statistics and Operations Research Dept., Universitat Politècnica de

- Catalunya.
- Castro, J., & Frangioni, A. (2001). A parallel implementation of an interior-point algorithm for multicommodity network flows. In V. H. J.M.L.M. Palma J. Dongarra (Ed.), *Vector and parallel processing—vecpa 2000 : 4th international conference, porto, portugal, june 21-23, 2000* (Vol. 1981, pp. 301–315). Springer.
- Castro, J., & Nabona, N. (1996, Jul). An implementation of linear and nonlinear multicommodity network flows. *European Journal of Operational Research*, 92(1), 37–53.
- Chardaire, P., & Lissier, A. (2002a). Minimum cost multicommodity flow. In P. Pardalos & M. Resende (Eds.), *Handbook of applied optimization* (pp. 404–421). Oxford University Press.
- Chardaire, P., & Lissier, A. (2002b). Simplex and interior point specialized algorithms for solving non-oriented multicommodity flow problems. *Operations Research*, 50(2), 260–276.
- Chifflet, J., Mahey, P., & Reynier, V. (1994). Proximal decomposition for multicommodity flow problems with convex costs. *Telecommunication Systems*, 3(1), 1–10.
- Choi, I., & Goldfarb, D. (1990). Solving multicommodity network flow problems by an interior point method. In T. Coleman & Y. Li (Eds.), *Large-scale numerical optimization (ithaca, ny, 1989)*, (pp. 58–69). Philadelphia, PA: SIAM.
- Chudak, F., & Eleutério, V. (2005, June). Improved approximation schemes for linear programming relaxations of combinatorial optimization problems. In M. Junger & K. V. (Eds.), *integer programming and combinatorial optimization, proceedings of the 11th international conference (ipco xi) held in berlin, germany* (Vol. 3509, pp. 81–96). Berlin Heidelberg: Springer-Verlag.
- Costa, M.-C., Létocart, L., & Roupin, F. (2005, Apr). Minimal multicut and maximal integer multiflow: a survey. *European Journal of Operational Research*, 162(1), 55–69.
- De Leone, R., Meyer, R., & Kontogiorgis, S. (1994, Feb). *Alternating directions methods for the parallel solution of large-scale block-structured optimization problems* (Tech. Rep.). Computer Sciences Technical Report 1217, Computer Science, University of Wisconsin-Madison.
- Detlefsen, N., & Wallace, S. (2001). The simplex algorithm for multicommodity networks. *Networks*, 39(1), 15–28.
- Druckerman, J., Silverman, D., & Viaropoulos, K. (1991). *Ibm optimization subroutine library guide and reference, [Computer software manual]*. Kingston, NY.
- Eckstein, J., & Fukushima, M. (1994). Some reformulations and applications of the alternating direction method of multipliers. In W. Hager, D. Hearn, & P. Pardalos (Eds.), *Large scale optimization : State of the art (gainesville, fl, 1993)* (pp. 115–134). Kluwer Academic Publishers.
- Evans, J. (1976, Jun). A combinatorial equivalence between a class of multicommodity flow problems and the capacitated transportation problem. *Mathematical Programming*, 10(3), 401–404.
- Evans, J. (1978a, Jul). On equivalent representations of certain multicommodity networks as single commodity flow problems. *Mathematical Programming*, 15(1), 92–99.
- Evans, J. (1978b, Mar). The simplex method for integral multicommodity networks. *Naval Research Logistics Quarterly*, 25(1), 31–37.
- Evans, J. (1978c). A single-commodity transformation for certain multicommodity networks. *Operations Research*, 26(4), 673–680.
- Evans, J. (1981). The multicommodity assignment problem: a network aggregation heuristic. *Computers & Mathematics with Applications*, 7(2), 187–194.
- Evans, J. (1983). A network decomposition/aggregation procedure for a class of multicommodity transportation problems. *Networks*, 13(2), 197–205.
- Evans, J., Jarvis, J., & Duke, R. (1977, Dec). Graphic matroids and the multicommodity transportation problem. *Mathematical Programming*, 13(3), 323–328.
- Farvolden, J., Powell, W., & Lustig, I. (1993). A primal partitioning solution for the arc-chain formulation of a multicommodity network flow problem. *Operations Research*, 41(4), 669–693.
- Fleischer, L. (2000). Approximating fractional multicommodity flow independent of the number of commodities. *SIJDM: SIAM Journal on Discrete Mathematics*, 13(4), 505–520.
- Frangioni, A. (1997). *Dual ascent methods and multicommodity flow problems* (Unpublished doctoral dissertation). Dipartimento di Informatica, Università di Pisa.
- Frangioni, A., & Gallo, G. (1999). A bundle type dual-ascent approach to linear multicommodity min-cost flow problems. *INFORMS Journal on Computing*, 11(4), 370–393.
- Frank, M., & Wolfe, P. (1956). An algorithm for quadratic programming. *Naval Research Logistics Quarterly*, 3, 95–110.
- Freund, Y., & Schapire, R. (1999, Apr). Adaptive game playing using multiplicative weights. *Games and Economic Behavior*, 29, 79–103.
- Garg, N., & Könemann, J. (1998). Faster and simpler algorithms for multicommodity flow and other fractional packing problems. In IEEE (Ed.), *39th annual symposium on foundations of computer science: proceedings: November 8–11, 1998, palo alto, california* (pp. 300–309). 1109 Spring Street, Suite 300, Silver Spring, MD 20910, USA: IEEE Computer Society Press.

- Gendron, B., Crainic, T., & Frangioni, A. (1999). Multicommodity capacitated network design. In P. Soriano & B. Sansò (Eds.), *Telecommunications network planning*. Boston: Kluwer Academic Publisher.
- Geoffrion, A. (1970). Primal resource-directive approaches for optimizing nonlinear decomposable systems. *Operations Research*, 18, 375–403.
- Geoffrion, A., & Graves, G. (1974). Multicommodity distribution system design by benders decomposition. *Management Science*, 20(5), 822–844.
- Goffin, J., Haurie, A., & Vial, J.-P. (1992, Feb). Decomposition and nondifferentiable optimization with the projective algorithm. *Management Science*, 38(2), 284–302.
- Goffin, J.-L., Gondzio, J., Sarkissian, R., & Vial, J.-P. (1997). Solving nonlinear multicommodity flow problems by the analytic center cutting plane method. *Mathematical Programming*, 76(1, Ser.B), 131–154.
- Goldberg, A. (1992). A natural randomization strategy for multicommodity flow and related algorithms. *Information Processing Letters*, 42(5), 249–256.
- Goldberg, A., Oldham, J., Plotkin, S., & Stein, C. (1998). An implementation of a combinatorial approximation algorithm for minimum-cost multicommodity flow. In R. Bixby, E. Boyd, & R. Ríos-Mercado (Eds.), *Integer programming and combinatorial optimization, proceedings of the 6th international conference (ipco vi) held in houston, tx, usa* (Vol. 1412, pp. 338–352). Berlin: Springer.
- Goldberg, A., & Tarjan, R. (1988). A new approach to the maximum-flow problem. *Journal of the ACM*, 35(4), 921–940.
- Goldberg, A., & Tarjan, R. (1989). Finding minimum-cost circulations by canceling negative cycles. *Journal of the Association for Computing Machinery*, 36(4), 873–886.
- Goldberg, A., & Tarjan, R. (1990). Solving minimum-cost flow problems by successive approximation. *Mathematics of Operations Research*, 15(3), 430–466.
- Gratzer, F., & Steiglitz, K. (1972). A heuristic approach to large multicommodity flow problems. In *22nd international symposium on computer-communications networks and teletraffic* (pp. 311–324).
- Graves, G., & McBride, R. (1976). The factorization approach to large-scale linear programming. *Mathematical Programming*, 10(1), 91–110.
- Grigoriadis, M., & Khachiyan, L. (1994). Fast approximation schemes for convex programs with many blocks and coupling constraints. *SIAM Journal on Optimization*, 4(1), 86–107.
- Grigoriadis, M., & Khachiyan, L. (1995a). An exponential-function reduction method for block-angular convex programs. *Networks*, 26(2), 59–68.
- Grigoriadis, M., & Khachiyan, L. (1995b). A sublinear-time randomized approximation algorithm for matrix games. *Operations Research Letters*, 18(2), 53–58.
- Grigoriadis, M., & Khachiyan, L. (1996a). Approximate minimum-cost multicommodity flows in $\tilde{O}(\epsilon^{-2}KNM)$ time. *Mathematical Programming*, 75(3, Ser. A), 477–482.
- Grigoriadis, M., & Khachiyan, L. (1996b). Coordination complexity of parallel price-directive decomposition. *Mathematics of Operations Research*, 21(2), 321–340.
- Grigoriadis, M. D., & White, W. W. (1972a). Computational experience with a multicommodity network flow algorithm. In R. Cottle & J. Krarup (Eds.), *Optimization methods for resource allocation (proc. nato conf., elsinore)* (pp. 205–226). English University Press, London.
- Grigoriadis, M. D., & White, W. W. (1972b). A partitioning algorithm for the multicommodity network flow problem. *Mathematical Programming*, 3(3), 157–177.
- Grinold, R. (1972). Steepest ascent for large scale linear programs. *SIAM Review*, 14(3), 447–464.
- Hadjiat, M., Maurras, J.-F., & Vaxès, Y. (2000, Jun). A primal partitioning approach for single and non-simultaneous multicommodity flow problems. *European Journal of Operational Research*, 123(2), 382–393.
- Hartman, J., & Lasdon, L. (1972). A generalized upper bounding algorithm for multicommodity network flow problems. *Networks*, 1(4), 333–354.
- Held, M., Wolfe, P., & Crowder, H. (1974). Validation of subgradient optimization. *Mathematical Programming*, 6(1), 62–88.
- Ibaraki, S., Fujishima, M., & Ibaraki, T. (1992). Primal-dual proximal point algorithm for linearly constrained convex programming problems. *Computational Optimization and Applications*, 1(2), 207–226.
- Ibaraki, S., & Fukushima, M. (1994, Dec). Primal-dual proximal point algorithm for multicommodity network flow problems. *Journal of the Operations Research Society of Japan*, 37(4), 297–309.
- Jewell, W. (1958). *Optimal flow through networks* (Unpublished doctoral dissertation). Interim Tech. Report No. 8, OR Center, M.I.T., Cambridge, MA
- Jewell, W. (1966). *A primal-dual multicommodity flow algorithm* (Tech. Rep. No. ORC 66-24). Berkeley: Operations Research Center, University of California.
- Jones, K., Lustig, I., Farvolden, J., & Powell, W. (1993). Multicommodity network flows: the impact of formulation on decomposition. *Mathematical Programming*, 62(1), 95–117.
- Kallio, M., & Ruszczyński, A. (1994, March). *Parallel solution of linear programs via nash equilibria* (Tech. Rep.). Laxenburg,

- Austria: WP-94-015, IIASA.
- Kamath, A., & Palmon, O. (1995). Improved interior point algorithms for exact and approximate solution of multicommodity flow problems. In *Proceedings of the sixth annual acm-siam symposium on discrete algorithms (san francisco, ca, 1995)* (pp. 502–511). ACM, SIAM.
- Kamath, A., Palmon, O., & Plotkin, S. (1995). Fast approximation algorithm for minimum cost multicommodity flow. In *Proceedings of the sixth annual acm-siam symposium on discrete algorithms* (pp. 493–501). New York, NY, USA: ACM Press.
- Kapoor, S., & Vaidya, P. (1996). Speeding up Karmarkar's algorithm for multicommodity flows. *Mathematical Programming*, 73(1, Ser. A), 111–127.
- Karakostas, G. (2002). Faster approximation schemes for fractional multicommodity flow problems. In *Soda '02: Proceedings of the thirteenth annual acm-siam symposium on discrete algorithms* (pp. 166–173). Philadelphia, PA, USA: Society for Industrial and Applied Mathematics.
- Karger, D., & Plotkin, S. (1995). Adding multiple cost constraints to combinatorial optimization problems, with applications to multicommodity flows. In *Proceedings of the twenty-seventh annual acm symposium on the theory of computing* (pp. 18–25). New York, NY, USA: ACM Press.
- Karmarkar, N. (1984). A new polynomial-time algorithm for linear programming. *Combinatorica*, 4(4), 373–395.
- Kazanov, A. (1994). Minimum cost multiflows in undirected networks. *Mathematical Programming*, 66(3, Ser. A), 313–325.
- Kazanov, A. (1997). Multiflows and disjoint paths of minimum total cost. *Mathematical Programming*, 78(2, Ser. B), 219–242.
- Kennington, J. (1977, Jun). Solving multicommodity transportation problems using a primal partitioning simplex technique. *Naval Research Logistics Quarterly*, 24(2), 309–325.
- Kennington, J. (1978). A survey of linear cost multicommodity network flows. *Operations Research*, 26(2), 209–236.
- Kennington, J., & Helgason, R. (1980). *Algorithms for network programming*. New York: Wiley-Interscience.
- Kennington, J., & Shalaby, M. (1977, May). An effective subgradient procedure for minimal cost multicommodity flow problems. *Management science*, 23(9), 994–1004.
- Klein, P., Plotkin, S., Stein, C., & Tardos, É. (1994). Faster approximation algorithms for the unit capacity concurrent flow problem with applications to routing and finding sparse cuts. *SIAM Journal on Computing*, 23(3), 466–487.
- Klein, P., & Young, N. (1999, June). On the number of iterations for dantzig-wolfe optimization and packing-covering approximation algorithms. In G. Cornuejols, R. Burkard, & G. Woeginger (Eds.), *Integer programming and combinatorial optimization, proceedings of the 7th international conference (ipco vii) held in graz, austria* (Vol. 1610, pp. 320–327). London, UK: Springer-Verlag.
- Könemann, J. (1998). *Faster and simpler algorithms for multicommodity flow and other fractional packing problems* (Unpublished master's thesis). Computer Science, Universität des Saarlandes, Saarbrücken, Germany.
- Kontogiorgis, S. (1995). *Alternating directions methods for the parallel solution of large-scale block-structured optimization problems* (Unpublished doctoral dissertation). Computer Science, University of Wisconsin-Madison.
- Leighton, T., Makedon, F., Plotkin, S., Stein, C., Tardos, É., & Tragoudas, S. (1995, Apr). Fast approximation algorithms for multicommodity flow problems. *Journal of Computer and System Sciences*, 50(2), 228–243.
- Lin, S.-Y., & Lin, H., C. (1997). A computationally efficient method for nonlinear multicommodity network flow. *Networks*, 29(4), 225–244.
- Lomonosov, M. (1985). Combinatorial approaches to multiflow problems. *Discrete Applied Mathematics*, 11(1), 1–93.
- Luby, M., & Nisan, N. (1993). A parallel approximation algorithm for positive linear programming. In *Stoc '93: Proceedings of the twenty-fifth annual acm symposium on theory of computing* (pp. 448–457). New York, NY, USA: ACM Press.
- Lustig, I., & Rothberg, E. (1996, Feb). Gigaflops in linear programming. *Operations Research Letters*, 18(4), 157–165.
- Lustig, R., I.J. and Marsten, & Shanno, D. (1991). Computational experience with a primal-dual interior point method for linear programming. *Linear Algebra and its Applications*, 152, 191–222.
- Mahey, P., Ouorou, A., LeBlanc, L., & Chifflet, J. (1998, Jul). A new proximal decomposition algorithm for routing in telecommunication networks. *Networks*, 31(4), 227–238.
- Maier, S. (1972). A compact inverse scheme applied to a multicommodity network with resource constraints. In R. Cottle & J. Krarup (Eds.), *Optimization methods for resource allocation (proc. nato conf., elsinore)* (pp. 179–203). English Univsity Press, London.
- Mamer, J., & McBride, R. (2000, May). A decomposition-based pricing procedure for large-scale linear programs: an application to the linear multicommodity flow problem. *Management Science*, 46(5), 693–709.
- Marsten, R., Subramanian, R., Saltzman, M., Lustig, I., & Shanno, D. (1990). Interior point methods for linear programming: just call newton, lagrange, and fiacco and mccormick! *Interfaces*, 20(4), 105–116.
- Maurras, J.-F., & Vaxès, Y. (1997). Multicommodity network flow with jump constraints. *Discrete Mathematics*, 165-166, 481–486.
- McBride, R. (1985). Solving embedded generalized network problems. *European Journal of Operational Research*, 21(1), 82–92.

- McBride, R. (1998a). Advances in solving the multicommodity-flow problem. *Interfaces*, 28(2), 32–41.
- McBride, R. (1998b, Nov.). Progress made in solving the multicommodity flow problem. *SIAM Journal on Optimization*, 8(4), 947–955.
- McBride, R., & Mamer, J. (1997). Solving multicommodity flow problems with a primal embedded network simplex algorithm. *INFORMS Journal on Computing*, 9(2), 154–163.
- McBride, R., & Mamer, J. (2001, Dec.). Solving the undirected multicommodity flow problem using a shortest path-based pricing algorithm. *Networks*, 38(4), 181–188.
- McCallum, J., C.J. (1977). A generalized upper bounding approach to a communications network planning problem. *Networks*, 7(1), 1–23.
- Meyer, R., & Zakeri, G. (1999). Multicoordination methods for solving convex block-angular programs. *SIAM Journal on Optimization*, 10(1), 121–131.
- Monteiro, D., & Adler, I. (1989). Interior path following primal-dual algorithms. part i: Linear programming. *Mathematical Programming*, 44(1, Ser. A), 27–41.
- Murray, S. (1992). *An interior point approach to the generalized flow problem with costs and related problems* (Unpublished doctoral dissertation). Department of Operations Research, Stanford University.
- Murtagh, B., & Saunders, M. (1978). Large-scale linearly constrained optimization. *Mathematical Programming*, 14(1), 41–72.
- Murtagh, B., & Saunders, M. (1992). *Minos 5.4 release notes, appendix to minos 5.1 user's guide* (Tech. Rep.). Stanford University.
- Muthukrishnan, S., & Suel, T. (1998). Second-order methods for distributed approximate single- and multicommodity flow. In M. Luby, J. Rolim, & M. Serna (Eds.), *Randomization and approximation techniques in computer science. second international workshop, random'98. proceedings* (Vol. 1518, pp. 369–383). Berlin: Springer.
- Nagamochi, H., Fukushima, M., & Ibaraki, T. (1990, Jul). Relaxation methods for the strictly convex multicommodity flow problem with capacity constraints on individual commodities. *Networks*, 20(4), 409–426.
- Nemirovski, A. (2005). Prox-method with rate of convergence $o(1/t)$ for variational inequalities with lipschitz continuous monotone operators and smooth convex-concave saddle point problems. *SIAM Journal on Optimization*, 15(1), 229–251.
- Nesterov, Y. (2005a). Excessive gap technique in nonsmooth convex minimization. *SIAM Journal on Optimization*, 16(1), 235–249.
- Nesterov, Y. (2005b). Smooth minimization of non-smooth functions. *Mathematical Programming*, 103(1), 127–152.
- Oldham, J. (1999). *Multicommodity and generalized flow algorithms: theory and practice* (Unpublished doctoral dissertation). Department of Computer Science, Stanford University.
- Ouorou, A. (2000, Feb). A primal-dual algorithm for monotropic programming and its application to network optimization. *Computational Optimization and Applications*, 15(2), 125–143.
- Ouorou, A., & Mahey, P. (2000, Mar). A minimum mean cycle cancelling method for nonlinear multicommodity flow problems. *European Journal of Operational Research*, 121(3), 532–548.
- Ouorou, A., Mahey, P., & Vial, J.-P. (2000, Jan). A survey of algorithms for convex multicommodity flow problems. *Management Science*, 46(1), 126–147.
- Palmon, O. (2001). *Optimization issues in network routing* (Unpublished doctoral dissertation). Department of Computer Science, Stanford University.
- Pinar, M., & Zenios, S. (1992). Parallel decomposition of multicommodity network flows using a linear-quadratic penalty algorithm. *ORSA Journal on Computing*, 4(3), 235–249.
- Plotkin, S., Shmoys, D., & Tardos, É. (1995, May). Fast approximation algorithms for fractional packing and covering problems. *Mathematics of Operations Research*, 20(2), 257–301.
- Polak, G. (1992, May). On a parametric shortest path problem from primal-dual multicommodity network optimization. *Networks*, 22(3), 283–295.
- Radzik, T. (1995). Fast deterministic approximation for the multicommodity flow problem. *Mathematical Programming*, 78(1, Ser. A), 43–58.
- Rockafellar, R. (1984). *Network flows and monotropic optimization*. New York, NY: John Wiley.
- Rosen, J. (1964). Primal partition programming for block diagonal matrices. *Numerische Mathematik*, 6, 250–260.
- Saigal, R. (1967). *Multicommodity flows in directed networks* (Tech. Rep. No. ORC Report 66-25). Operations Research Center, University of California, Berkeley.
- Schneur, R. (1991). *Scaling algorithms for multicommodity flow problems and network flow problems with side constraints* (Unpublished doctoral dissertation). M.I.T., Cambridge, MA
- Schneur, R., & Orlin, J. (1998). A scaling algorithm for multicommodity flow problems. *Operations Research*, 146(2), 231–246.
- Schrijver, A. (1991). Short proofs on multicommodity flows and cuts. *Journal of Combinatorial Theory*, 53(1, Ser. B), 32–39.

- Schultz, G., & Meyer, R. (1991). An interior point method for block angular optimization. *SIAM Journal on Optimization*, 1(4), 583–602.
- Shahrokhi, F., & Matula, D. (1990, Apr). The maximum concurrent flow problem. *Journal of the ACM*, 37(2), 318–334.
- Shetty, B., & Muthukrishnan, R. (1990, Sep). A parallel projection for the multicommodity network model. *Journal of the Operational Research Society*, 41(9), 837–842.
- Soun, Y., & Truemper, K. (1980). Single commodity representation of multicommodity networks. *SIAM Journal on Algebraic and Discrete Methods*, 1(3), 348–358.
- Truemper, K. (1977). Unimodular matrices of flow problems with additional constraints. *Networks*, 7(4), 343–358.
- Truemper, K., & Soun, Y. (1979). Minimal forbidden subgraphs of unimodular multicommodity networks. *Mathematics of Operations Research*, 4(4), 379–389.
- Vaidya, P. (1989). Speeding-up linear programming using fast matrix multiplication. In *30th annual symposium on foundations of computer science* (pp. 332–337). IEEE.
- Vance, P., Barnhart, C., Johnson, E., & Nemhauser, G. (1994). Solving binary cutting stock problems by column generation and branch-and-bound. *Computational Optimization and Applications*, 3(2), 111–130.
- Wang, I.-L. (2003). *Shortest paths and multicommodity network flows* (Unpublished doctoral dissertation). School of Industrial and System Engineering, Georgia Institute of Technology.
- Wang, I.-L. (2018). Multicommodity network flows: A survey, part I: Applications and formulations. *International Journal of Operations Research*, 15(4), 145–153.
- Yamakawa, E., Matsubara, Y., & Fukushima, M. (1996, Dec). A parallel primal-dual interior point method for multicommodity flow problems with quadratic costs. *Journal of the Operations Research Society of Japan*, 39(4), 566–591.
- Ye, Y. (1994). Toward probabilistic analysis of interior-point algorithms for linear programming. *Mathematics of Operations Research*, 19(1), 38–52.
- Young, N. (1995). Randomized rounding without solving the linear program. In *Proceedings of the sixth annual acm-siam symposium on discrete algorithms* (pp. 170–178). New York, NY, USA: ACM Press.
- Young, N. (2001). Sequential and parallel algorithms for mixed packing and covering. In *Focs '01: Proceedings of the 42nd IEEE symposium on foundations of computer science* (pp. 538–546). Washington, DC, USA: IEEE Computer Society.
- Zakeri, G. (1995). *Multi-coordination methods for parallel solution of block-angular programs* (Unpublished doctoral dissertation). Computer Science, University of Wisconsin.
- Zenios, S., Pinar, M., & Dembo, R. (1995, May). A smooth penalty function algorithm for network-structured problems. *European Journal of Operational Research*, 83(1), 229–236.